

Fly Spray RTU {or other product name}

WARNING

Keep Out of Reach of Children

See additional Precautionary Statements on back panel

Active Ingredients:

Clove Oil 0.05%

Cottonseed Oil 0.05%

Inert Ingredients* 99.90%

Total 100.00%

*Distilled Water, Soap, Glycerin, Myristic Acid, Potassium Oleate and Potassium

Stearate

(Note: The Ingredients Statement may be on the front or back panel; it must, however, be presented in this format.)

Net Contents: _____ fl oz (____ mL)

Select from the following Marketing Claims:

Kills flies that are resistant to Pyrethrum

Ideal Pyrethrum replacement formula

Equal or better effectiveness

Lower cost than Pyrethrum-containing products (or other natural formulas)

No supply chain problems like with Pyrethrum-containing products

Proven Contact Kill of Bottle Flies, Flesh Flies, Horn Flies, House Flies, Stable Flies and Mosquitoes and Moths

Quick Kill Formula

Safe for use around horses, cattle and other animals

Safe on most interior and exterior surfaces

Contains no Pyrethrum, Sodium Lauryl Sulfate or synthetic chemicals

No Known Resistance

Works on Resistant Species

DIRECTIONS FOR USE

Read entire label prior to use and use product as directed. Shake well before use or dilution.

To Kill Flies, Mosquitoes and Moths: Cover exposed food and utensils before spraying. Set spray nozzle to deliver a fine mist. Close all doors and windows and direct spray upward into the room's center using a slow, sweeping motion. Spray approximately 5-10 seconds for an average room. Keep room closed for 15 minutes after spraying and thoroughly ventilate room prior to reentry. Sweep up and throw away fallen insects.

PRECAUTIONARY STATEMENTS



WARNING: May cause allergic skin reaction.

Prevention: Avoid breathing mist/vapors/spray. Wear protective gloves.

Response: If on Skin: Wash with plenty of soap and water. If irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse. If irritation persists, call a physician or 1-800-222-1222 for emergency medical treatment information.

Storage and Disposal: Keep away from children and pets. Store in original, tightly closed container in a cool, dry area. Non-refillable container; do not reuse or refill this container. Recycle empty container, or discard in trash.

This product has not been registered by the United States Environmental Protection Agency. [Your Company Name] represents that this product qualifies for exemption from registration under FIFRA Sec. 25(b).

Distributed by (or: Manufactured for):

[Your Company Name]

[Street Address]

[City, State and Zip Code]

[Phone Number]

Made in the U.S.A.

[Product No. _____]

UPC

Fly Spray for Livestock RTU
{or other product name}

WARNING

Keep Out of Reach of Children

See additional Precautionary Statements on back panel

Active Ingredients:

Clove Oil 0.05%

Cottonseed Oil 0.05%

Inert Ingredients* 99.90%

Total 100.00%

*Distilled Water, Soap, Glycerin, Myristic Acid, Potassium Oleate and Potassium

Stearate

(Note: The Ingredients Statement may be on the front or back panel; it must, however, be presented in this format.)

Net Contents: _____ fl oz (____ mL)

Select from the following Marketing Claims:

Kills Pyrethrum-resistant flies

Ideal Pyrethrum replacement formula

Equal or better effectiveness

Lower cost than Pyrethrum-containing products (or other natural formulas)

No supply chain problems like with Pyrethrum-containing products

Proven Contact Kill of house flies, horn flies, stable flies, bottle flies, flesh flies and mosquitoes

Quick Kill Formula

Safe for use on and around horses, cattle and other livestock

No Known Resistance

DIRECTIONS FOR USE

Read entire label prior to use and use product as directed. Shake well before use or dilution. Spray from a distance of 8-12 inches, directly spraying listed pests. Use 2-4 trigger sprayer pumps, depending upon pest pressure, and thoroughly wet listed pests, but not to the point of saturation/runoff.

Use to kill flies and mosquitoes on livestock. Thoroughly spray any flies and mosquitoes on livestock. Apply to the head, legs, belly, neck, back and sides. Cover eyes, nose and mouth when spraying face. Brush animal after application to bring out a bright sheen. Thoroughly wash, before milking, dairy cow udder/teat area that has been treated with this product.

PRECAUTIONARY STATEMENTS



WARNING: May cause allergic skin reaction.

Prevention: Avoid breathing mist/vapors/spray. Wear protective gloves.

Response: If on Skin: Wash with plenty of soap and water. If irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse. If irritation persists, call a physician or 1-800-222-1222 for emergency medical treatment information.

Storage and Disposal: Keep away from children and pets. Store in original, tightly closed container in a cool, dry area. Non-refillable container; do not reuse or refill this container. Recycle empty container, or discard in trash.

This product has not been registered by the United States Environmental Protection Agency. [Your Company Name] represents that this product qualifies for exemption from registration under FIFRA Sec. 25(b).

Distributed by (or: Manufactured for):

[Your Company Name]

[Street Address]

[City, State and Zip Code]

[Phone Number]

Made in the U.S.A.

[Product No. _____]

UPC